

SURVEILLANCE WEEK 5 (January 27, 2008– February 2, 2008)

This issue of the Ontario Influenza Bulletin provides information on the surveillance period from January 27, 2008–February 2, 2008, (Week 5). The analysis for this issue occurred on Thursday February 7, 2008, therefore all data is current to that date unless otherwise specified.

Overall, influenza activity in Ontario during week 5, 2008 was similar to week 4, 2008. There were 43 sporadically occurring cases of influenza A and thirteen sporadic case of influenza B reported through iPHIS from health units. There were no new reports of institutional outbreaks of influenza. For week 5, the highest level of influenza activity was 'localized' reported from Central East and South West while 'sporadic' activity, 'no activity', or 'no data' were reported from the remaining regions.

In Canada for week 4, influenza activity levels increased steadily from previous weeks. In week 4, more regions reported widespread (n=4 from BC and AB) and localized influenza activity (n=8 from BC, AB, SK, MB, ON, & NB) compared to previous weeks. Eighteen regions reported no activity and 25 reported sporadic activity (see map). Note: No data were received from PEI this week.[†]

Please refer to page 12 for Appendix C report submission dates.

For a definition of influenza-like illness (ILI) activity levels and links to websites providing current influenza information from other sources, please refer to the attached Appendix- I. If you would like to provide feedback on the Bulletin, please contact Christine D'Souza (christine.dsouza1@ontario.ca, 416-212-5323) or Anne-Luise Winter (anne-luise.winter@ontario.ca, 416-327-7301).

Table 1: Summary of confirmed influenza cases and institutional influenza outbreaks by health region (Week 5, 2008).

Confirmed influenza cases*	HEALTH REGION							TOTAL
	North West	North East	Eastern	Central East	Toronto	South West	Central West	
Influenza A	0	0	4	12	9	6	12	43
Influenza B	0	1	1	9	1	1	0	13
Influenza A & B	0	0	0	0	0	0	0	0
Total new cases	0	1	5	21	10	7	12	56
Institutional influenza outbreaks‡	0	0	0	0	0	0	0	0

SOURCE: MOHLTC (iPHIS, Health Unit Reports to PHD)

* Includes reports of sporadically occurring influenza through iPHIS, as well as cases in institutional outbreaks, with dates of onset in the surveillance period.

† These data have been obtained from the FluWatch report of the Public Health Agency of Canada for Week 4, 2008.

‡ Confirmed outbreaks in institutions with onset date of symptoms during the surveillance period.

Table 2: Confirmed cases of influenza by health unit & health region, with an episode date[†] during Week 5, 2008

Region	Health Unit	Confirmed Influenza		
		Influenza A	Influenza B	TOTAL
North West	Northwestern	0	0	0
	Thunder Bay District	0	0	0
	TOTAL NORTH WEST	0	0	0
North East	Algoma	0	0	0
	North Bay Parry Sound District	0	0	0
	Porcupine	0	0	0
	Sudbury & District	0	0	0
	Timiskaming	0	1	1
	TOTAL NORTH EAST	0	1	1
Eastern	City of Ottawa	2	1	3
	Eastern Ontario	0	0	0
	Hastings & Prince Edward Counties	0	0	0
	Kingston, Frontenac, Lennox & Addington	2	0	2
	Leeds, Grenville And Lanark District	0	0	0
	Renfrew County And District	0	0	0
	TOTAL EASTERN	4	1	5
Central East	Durham Region	0	0	0
	Haliburton, Kawartha, Pine Ridge	4	0	4
	Peel Region	7	9	16
	Peterborough County-City	0	0	0
	Simcoe Muskoka District	1	0	1
	York Region	0	0	0
	TOTAL CENTRAL EAST	12	9	21
Toronto	Toronto	9	1	10
	TOTAL TORONTO	9	1	10
South West	Chatham-Kent	0	0	0
	Elgin-St. Thomas	0	0	0
	Grey Bruce	1	0	1
	Huron County	0	0	0
	Lambton County	1	0	1
	Middlesex-London	0	1	1
	Oxford County	0	0	0
	Perth District	2	0	2
	Windsor-Essex County	2	0	2
	TOTAL SOUTHWEST	6	1	7
Central West	Brant County	0	0	0
	City Of Hamilton	8	0	8
	Haldimand-Norfolk	0	0	0
	Halton Region	1	0	1
	Niagara Region	1	0	1
	Waterloo Region	2	0	2
	Wellington-Dufferin-Guelph	0	0	0
	TOTAL CENTRAL WEST	12	0	12
	TOTAL ONTARIO	43	13	56

SOURCE: MOHLTC (iPHIS, Health Unit Reports have been extracted using CRN at PHD)

[†] Episode Date for a case corresponds to the earliest date on record for the case according to the iPHIS hierarchy (Symptom Date > Clinical Diagnosis Date > Specimen Collection Date > Lab Test Date > Reported Date)

Table 3: Cumulative* confirmed cases of influenza by health unit & health region with an episode date† between September 1, 2007 – February 2, 2008

Region	Health Unit	Confirmed Influenza		
		Influenza A	Influenza B	TOTAL
North West	Northwestern	2	0	2
	Thunder Bay District	2	0	2
	TOTAL NORTH WEST	4	0	4
North East	Algoma	8	0	8
	North Bay Parry Sound District	15	1	16
	Porcupine	0	0	0
	Sudbury & District	3	0	3
	Timiskaming	1	1	2
	TOTAL NORTH EAST	27	2	29
Eastern	City Of Ottawa	5	2	7
	Eastern Ontario	0	0	0
	Hastings & Prince Edward Counties	2	0	2
	Kingston, Frontenac, Lennox & Addington	11	0	11
	Leeds, Grenville And Lanark District	0	0	0
	Renfrew County And District	0	0	0
	TOTAL EASTERN	18	2	20
Central East	Durham Region	17	0	17
	Haliburton, Kawartha, Pine Ridge	22	4	26
	Peel Region	161	11	172
	Peterborough County-City	10	1	11
	Simcoe Muskoka District	29	3	32‡
	York Region	58	2	60
	TOTAL CENTRAL EAST	297	21	318
Toronto	Toronto	378	23	401
	TOTAL TORONTO	378	23	401
South West	Chatham-Kent	2	0	2
	Elgin-St. Thomas	0	0	0
	Grey Bruce	15	1	16
	Huron County	3	1	4
	Lambton County	3	0	3
	Middlesex-London	8	3	11
	Oxford County	2	0	2
	Perth District	3	0	3
	Windsor-Essex County	3	0	3
	TOTAL SOUTHWEST	39	5	44
Central West	Brant County	2	0	2
	City Of Hamilton	53	0	53
	Haldimand-Norfolk	2	1	3
	Halton Region	41	0	41
	Niagara Region	11	2	13
	Waterloo Region	46	1	47
	Wellington-Dufferin-Guelph	28	0	28
	TOTAL CENTRAL WEST	183	4	187
TOTAL ONTARIO		946	57	1,003

SOURCE: MOHLTC (iPHIS, Health Unit Reports have been extracted using CRN at PHD)

* Cumulative case counts include late reports and records that are otherwise reconciled. Therefore, cumulative counts may not equal new cases plus previous cumulative value.

† Episode Date for a case corresponds to the earliest date on record for the case according to the iPHIS hierarchy (Symptom Date > Clinical Diagnosis Date > Specimen Collection Date > Lab Test Date > Reported Date)

‡Note that one of the cases of influenza reported from Simcoe Muskoka District represents a case co-infected with Influenza A & B

Influenza Subtype(s):

During week 5, 4006 isolates were received by the Public Health Agency of Canada, with 346 testing positive for influenza A and 152 for influenza B. The majority of influenza A isolates (87) were from Alberta (25.2%), while 85 (24.6%) were from British Columbia, 68 were from Quebec (19.7%) and 67 were from Ontario (19.4%). The majority of influenza B isolates (79) were reported from Alberta (52.0%), 21 were reported from British Columbia (13.8%) while 14 (9.2%) were reported from Ontario, with 13 (8.6%) reported from Saskatchewan.*

Antigenic Characterization:

The National Microbiology Laboratory (NML) has characterized 243 influenza viruses for the 2007-2008 influenza season: 171 A(H1N1), 17 A(H3N2) and 55 B viruses. All influenza A(H1N1) viruses were antigenically similar to A/Solomon Islands/3/2006. Of the 17 influenza A(H3N2) viruses characterized, 5 were antigenically similar to A/Wisconsin/67/2005 and 12 were antigenically similar to A/Brisbane/10/2007. One of the 5 A/Wisconsin-like viruses had reduced titer to A/Wisconsin/67/2005 reference antiserum. Of the 55 influenza B isolates characterized, 3 were antigenically similar to B/Malaysia/2506/2004 and 52 were antigenically similar to B/Florida/4/2006 (belonging to the B/Yamagata lineage).**

Antiviral Resistance:


Since the start of the season, the NML has tested 188 influenza A isolates (163 H1N1 and 25 H3N2) for amantadine resistance and found that 23 (92%) of the 25 H3N2 isolates were resistant to amantadine and 4 (2.5%) of 163 H1N1 isolates was resistant. NML also tested 184 influenza isolates (128 A/H1N1, 15 A/H3N2 & 41 B) for oseltamivir (Tamiflu) resistance and found that 8 (6.3%) of the 128 H1N1 isolates tested was resistant to oseltamivir. The resistant isolates were from NF (1), ON (6) and BC (1). These oseltamivir resistant strains remain sensitive to the antiviral amantadine.**

Note: The WHO recommends that the trivalent vaccine for the 2007-2008 season in the northern hemisphere (which includes Canada) contain an A/Solomon Islands (H1N1)-like virus; an A/Wisconsin (H3N2)-like virus; and a B/Malaysia-like virus.

* These data have been obtained from the Respiratory Virus Detection tables of Public Health Agency of Canada and do not include data from late reports to PHAC: Week 5, 2008.

** These data have been obtained from the FluWatch report of the Public Health Agency of Canada for Week 4, 2008.

Figure 1: Total number of influenza tests performed and percent of positive tests in Ontario reported to the Centre for Infectious Disease Prevention and Control (CIDPC), by report week.



Source: Public Health Agency of Canada

* Total numbers reported include late reports; therefore totals may not be equal to the sum of the weekly numbers.

Note: Cumulative numbers for season to date are available through FluWatch: <http://www.phac-aspc.gc.ca/fluwatch/>

Table 4a: Institutional respiratory infection outbreaks in Ontario: New Outbreaks* in Week 5 and Total Outbreaks for the Season**

Institutional Respiratory Infection Outbreaks		
New Outbreaks*	N	% (of outbreaks)
Influenza A	0	0.0
Influenza B	0	0.0
Influenza A and B	0	0.0
Parainfluenza (All types)	0	0.0
RSV	0	0.0
Other organisms	0	0.0
No organism identified	6	100.0
TOTAL	6	100
Total Respiratory Infection Outbreaks of the Season to date**	N	% (of outbreaks)
Influenza A	8	3.1
Influenza B	4	1.5
Influenza A and B	0	0.0
Parainfluenza (All types)	23	8.9
RSV	15	5.8
Combined Outbreaks†	0	0.0
Other organisms	22	8.5
No organism identified	187	72.2
TOTAL	259	100
Types of Institutions (All Outbreaks) **	N	% (of outbreaks)
Long-Term Care Homes	152	58.7
Hospitals	7	2.7
Retirement Homes	24	9.3
Other	2	0.8
Unknown	74	28.6
TOTAL	259	100

SOURCE: MOHLTC [iPHIS, Health Unit Reports have been extracted using CRN at PHD]

* New outbreaks are those in which the date of onset of illness in the first case occurred and recorded through iPHIS in the current surveillance period; i.e. January 27, 2008 – February 2, 2008

** Season to date includes all outbreaks in which the date of onset of illness in the first case occurred from September 1, 2007 – February 2, 2008

† Combined outbreaks include outbreaks in which more than one non-influenza organism has been identified (e.g. RSV, parainfluenza, rhinovirus, etc.)

Table 4b: Outbreak Related Complications in institutional respiratory infection outbreaks in Ontario during the Surveillance Season*

Outbreak Related Complications (All Outbreaks)	N	% (of total cases)
Total Cases		
Residents	3048	74.7
Patients	107	2.6
Staff	925	22.7
Total Cases	4080	100
Deaths		% (of cases per role)
Residents	57	1.9
Patients	0	0.0
Staff	0	0.0
Pneumonia (Chest x-ray confirmed)		% (of cases per role)
Residents	85	2.8
Patients	2	1.9
Staff	0	0.0
Hospitalizations		% (of cases per role)
Residents	99	3.2
Staff	0	0.0
Outbreak Related Complications (Influenza Outbreaks)	N	% (of total cases)
Total Cases		
Residents	118	68.6
Patients	12	7.0
Staff	42	24.4
Total Cases	172	100
Deaths		% (of cases per role)
Residents	3	2.5
Patients	0	0.0
Staff	0	0.0
Pneumonia (Chest x-ray confirmed)		% (of cases per role)
Residents	5	4.2
Patients	1	8.3
Staff	0	0.0
Hospitalizations		% (of cases per role)
Residents	4	3.4
Staff	0	0.0

SOURCE: MOHLTC (PHIS, Health Unit Reports have been extracted using CRN at PHD)

* Season to date includes all outbreaks in which the date of onset of illness in the first case occurred from September 1, 2007 – February 2, 2008

Figure 2: Institutional respiratory infection outbreaks in Ontario by onset of illness in the first case: Total Outbreaks from September 1, 2007 – February 2, 2008 by causative organism






Figure 3: Influenza Activity* levels in Ontario by health unit for Week 5, 2008



SOURCE: MOHLTC [Provincial Influenza Activity Report (Appendix C) Database]

* Influenza activity levels are assigned by local public health units and reported to the MOHLTC by the Tuesday following the end of the surveillance week at 4 pm. Activity levels are assigned based on laboratory confirmations, ILI reports from various sources, and laboratory confirmed institutional outbreaks. Please refer to detailed definitions for the 2007-2008 season included in the Appendix-1]

Figure 4: Average influenza-like illness (ILI) consultation rate (per 1,000 patient visits) reported by sentinel physicians* in Ontario in 2007- 2008 season, by report week, Compared to Ontario average† (1999/2000 to 2004/05 seasons).



Source: Public Health Agency of Canada

* Sentinel physician information is reported to Public Health Agency of Canada.

† No data available for mean rate in previous years for weeks 21 to 39 (1999-2000 through 2004-2005 seasons). During weeks 20-39, 2002-2003/2004-2005 seasons, ILI is reported once every two weeks, on even weeks only.

Table 6: Average Influenza-like illness consultation rate (per 1,000 patient visits) by age group and postal code as reported by Sentinel Physicians* in Ontario, for Week 5.

Postal Code	0 – 4	5 – 19	20 – 64	65 +	Unknown
K0C1A0	0	0	0	0	0
K1L8H2	0	1	1	1	0
K2P1V3	0	0	1	0	0
K1J9M2	3	0	2	0	0
K0H2N0	0	0	0	0	0
K7H2W6	0	0	0	0	0
K0K2T0	0	0	0	0	0
K0K2T0	0	0	4	0	0
L1A3W4	0	0	0	0	0
K0M1A0	0	0	0	0	0
L1S2H6	0	0	1	0	0
L1B1H8	0	0	0	0	0
L4L4Y7	0	0	0	0	0
L4J7Y3	0	0	0	0	0
L4G7Y3	0	0	1	0	0
M5M1B2	0	0	0	0	0
M4X1W4	0	0	0	0	0
M4E1V8	0	0	0	0	0
M4M3P3	0	0	0	0	0
M2N6H7	0	0	0	0	0
M2K1E1	0	0	0	0	0
M9W6N5	0	0	0	0	0
L4Y2N8	0	0	1	0	0
L6W2A4	2	2	2	0	0
L6V4H6	0	0	1	0	0
L9W1G2	0	0	0	0	0
L6L2X4	0	1	2	0	0
L6J1X8	0	0	0	0	0
L9H1V1	0	0	1	0	0
L0R0H2	0	0	1	0	0
L8W3J6	0	0	0	0	0
L2E7H1	0	0	0	0	0
N3R7K8	0	0	0	0	0
N1R2L7	0	0	0	0	0
N2G1P2	0	0	0	0	0
N2M3B5	0	0	0	0	0
N5C1G5	0	0	3	0	0
N0R1G0	0	0	0	0	0
N0M1T0	0	0	1	0	0
N6C2R5	0	0	0	0	0
N0M1L0	0	0	0	0	0
N0C1E0	0	0	0	0	0
L3V5W5	0	0	0	0	0
L4R4P4	0	0	0	0	0
P0H2H0	0	0	0	0	0
P0A1C0	0	0	0	0	0
P0M2L0	0	0	0	0	0
P4N1C6	0	0	0	0	0
P0S1K0	0	0	0	0	0
P0M1Z0	0	0	0	0	0
P7E1H5	0	0	0	0	0
P0T2E0	1	0	0	0	0
P0W1E0	0	0	0	0	0
P9N3W7	0	0	0	0	0
P8N2Z6	0	0	0	0	0
ILI Sum	6	4	22	1	0
ILI Consultation Rate (per 1,000 patient visits)	77.92	36.36	27.47	2.82	0.00

Source: Public Health Agency of Canada

* Sentinel physician information is reported to the Public Health Agency of Canada

Note: The small numbers of sentinel physicians reporting at the local level make the ILI rates unstable. Please interpret these data correspondingly.

FURTHER INFORMATION

1. Ontario Ministry of Health and Long-Term Care
Previous issues of the *Ontario Influenza Bulletin* can be accessed at:
http://www.health.gov.on.ca/english/providers/program/pubhealth/flu/flu_07/fiubul_mn.html
2. Health Agency of Canada
Issues of FluWatch can be accessed at:
www.phac-aspc.gc.ca/fluwatch/
3. United States Centers for Disease Control and Prevention
<http://www.cdc.gov/flu/weekly/fluactivity.htm>
4. European Influenza Surveillance Scheme
http://www.eiss.org/cgi-files/bulletin_v2.cgi

INFORMATION ABOUT AVIAN INFLUENZA

For latest information on the status of avian influenza worldwide please use the following link:

Public Health Agency of Canada

<http://www.phac-aspc.gc.ca/h5n1/index.html>

APPENDIX - I

Definitions for influenza activity levels:

No Data: No activity report corresponding to the surveillance week was received at the Ministry of Health and Long-Term Care Call Centre by the Tuesday (at 4 p.m.) following the end of the surveillance period.

No Activity: No laboratory confirmed* influenza and NO outbreaks detected within the health unit/ influenza surveillance area, within the prior week, although sporadically occurring ILI may or may not be present.†

Sporadic: Sporadically (infrequently) occurring ILI and at least one lab-confirmed influenza* case with NO outbreaks detected within the health unit area.†

Localized: sporadically occurring ILI and lab-confirmed influenza* together with outbreaks of ILI in schools and work sites, or laboratory-confirmed influenza in residential institutions occurring in < 50% of the health unit. Outbreaks affect a single and/or adjacent geographic area within the health unit jurisdiction, e.g. outbreaks in a nursing home and a school in close proximity to each other.†

Widespread: sporadically occurring ILI and lab-confirmed influenza* together with outbreaks of ILI in schools and work sites, or laboratory-confirmed influenza in residential institutions occurring in > 50% of the health unit. Outbreaks affect multiple and non-adjacent geographic areas within the health unit jurisdiction, such as two or more regions of the health unit, two or more municipalities, two or more electoral wards, etc.†

* Confirmation of influenza within the surveillance region at any time within the prior week

† Sub-regions within the province or territory as defined by the provincial/territorial epidemiologist

Influenza-Like Illness (ILI) Definitions:

A) ILI in the general population:

Acute onset of respiratory illness with fever and cough and with one or more of the following - sore throat, arthralgia, myalgia, or prostration which could be due to influenza virus. In children under 5, gastrointestinal symptoms may also be present. In patients under 5 or 65 and older, fever may not be prominent.

B) ILI/Influenza outbreaks:

Schools and work sites: greater than 10% absenteeism on any day, most likely due to ILI.

Residential institutions: two or more cases of ILI within a seven-day period, including at least one laboratory confirmed case.

Influenza Surveillance Weeks 2008 and date of submission of Appendix C

WEEKS	START	END	Appendix C Submission to MOHLTC
WK6	3-Feb-08	9-Feb-08	12-Feb-08
WK7	10-Feb-08	16-Feb-08	19-Feb-08
WK8	17-Feb-08	23-Feb-08	26-Feb-08
WK9	24-Feb-08	1-Mar-08	4-Mar-08
WK10	2-Mar-08	8-Mar-08	11-Mar-08
WK11	9-Mar-08	15-Mar-08	18-Mar-08
WK12	16-Mar-08	22-Mar-08	25-Mar-08
WK13	23-Mar-08	29-Mar-08	1-Apr-08
WK14	30-Mar-08	5-Apr-08	8-Apr-08
WK15	6-Apr-08	12-Apr-08	15-Apr-08
WK16	13-Apr-08	19-Apr-08	22-Apr-08
WK17	20-Apr-08	26-Apr-08	29-Apr-08
WK18	27-Apr-08	3-May-08	6-May-08
WK19	4-May-08	10-May-08	13-May-08
WK20	11-May-08	17-May-08	20-May-08
WK21	18-May-08	24-May-08	27-May-08
WK22	25-May-08	31-May-08	3-Jun-08
WK23	1-Jun-08	7-Jun-08	10-Jun-08
WK24	8-Jun-08	14-Jun-08	17-Jun-08
WK25	15-Jun-08	21-Jun-08	24-Jun-08
WK26	22-Jun-08	28-Jun-08	1-Jul-08
WK27	29-Jun-08	5-Jul-08	8-Jul-08
WK28	6-Jul-08	12-Jul-08	15-Jul-08
WK29	13-Jul-08	19-Jul-08	22-Jul-08
WK30	20-Jul-08	26-Jul-08	29-Jul-08
WK31	27-Jul-08	2-Aug-08	5-Aug-08
WK32	3-Aug-08	9-Aug-08	12-Aug-08
WK33	10-Aug-08	16-Aug-08	19-Aug-08
WK34	17-Aug-08	23-Aug-08	26-Aug-08
WK35	24-Aug-08	30-Aug-08	2-Sep-08